

The Golf Convertible Quartett.





The Golf Convertible Quartett.

A colourful selection. 64 Golf Convertibles for individualists.

We have done everything possible to make driving the Golf Convertible a real pleasure. We've given it unbeatable durability, reliability and economy, but when it comes to the choice of colours, it's your personal taste which counts.

We have a superb range of

standard production models, but for people who want something even more exciting we have developed a new combination system: the Golf Convertible Quartett.

This is the idea: we provide four exterior colours, four soft top colours and four interior



equipment colours — white, blue, red and light grey.

Now it's up to you to mix and match them. For example, you can have a red soft top with blue seats and white exterior, or red seats with blue exterior and light grey soft top, or . . . and the list goes on. Whatever you decide,

you have a staggering choice of 64 different colour combinations. In other words, you will have a unique car which is hard to match. A clear sign of your individuality.

But let's look at it from a practical point of view. Have you ever had the annoying experience of wanting to get home quickly from a tennis match to watch a film on television and not being able to find your car on the crowded car park? With your new, unmistakable Golf Convertible Quartett, this will never happen again.

Before you get in, take an-

other look at your very own colour combination. Note the light-alloy wheels with 185/60 R 14 H tyres and the bumpers, wheel arch extensions and the remote control door mirrors — all in the same colour as the car. Are you happy with your choice?



The Golf Convertible Quartett. Optional extra: rear seat belts.

# Bring a little fantasy into everyday life.

You will be amazed at how much fun it is to design your own distinctive car.

The extensive additional equipment of the Golf Convertible Quartett is also amazing. It has everything you need — both inside and outside — for a safe and swift style of driving.


With its four 6 J x 14 light-alloy wheels, matched to the car colour, it always keeps a keen grip on the road. The all-round spoiler set with wheel arch and door sill extensions, front spoiler and tail panel trim, and the plastic-coated bumpers are all painted in the same colour as






the car. The door mirrors too, of course. An exception is the laminated safety-glass windscreen which is tinted green.

The footwells are lined with tufted velour with a reinforced heel area on the driver's side, and the seat fabric is of a highquality "petit point" design. Both the driver's and the front passenger's sports seats are adjustable for height, allowing you to find your own ideal driving position. The practical centre console and revolution counter are also standard items of equipment.






How would you like it? Cut out, try out and choose.


The ingredients are very simple: red, white, blue and grey — four Quartett colours for the soft top, exterior paintwork and interior equipment.


If you try out all the possible colour combinations — regardless of whether they are matching or contrasting — you will


discover 64 different versions of the Golf Convertible Quartett. And knowing that you'd like to see your Convertible standing at your front door as soon as possible, we have thought of a device to help you make your decision.

To compare the various colour









combinations, you can use the cut-out trick. Four different-coloured soft tops and interiors are printed on the sheet enclosed here. Underneath there are four outlines of Convertibles with Alpine white, metallic Helios blue, Paprika red and metallic Sapphire finishes.


Simply take a pair of scissors and cut around the soft tops and interiors. Then place them on the Quartett models in different combinations. Fantastic!


How about the white soft top with the blue paintwork finish and red interior? Or perhaps a quite different version? Much as we'd like to help you out, the final decision is yours.

By the way, all the possible combinations are shown on the next pages with the corresponding order numbers. Simply mark the code number of your choice and inform your V.A.G dealer of your other equipment

requirements (radio system, engine version or interior trim partly in white, red, blue or grey leather etc.).

You will then be well on your way to making a dream come true: your own, very individual Golf Convertible. Congratulations on your decision!





ossible	colour combinations							_					_		_			_	
			Exterior paintwork	Paprika red	Alpine white	Helios blue metallic	Sapphire metallic	Paprika red	Alpine white	Helios blue metallic	Sapphire metallic	Paprika red	Alpine white	Helios blue metallic	Sapphire metallic	Paprika red	Alpine white	Helios blue metallic	
				H7	P1	C5	L5	H7	P1	CS	L5	H7	P1	CS	L5	H7	P1	5 4	
				So						idea.									
						-		51103									Т		
					V	4			V	5			V	8			V	9	
					Pap	rika				Atoll				Dove					
	Cloth upholstery	Soft-top cover	Carpeting	red		white				blue			grey						
	Petit Point ●																		
HP	Lasky white	Ermine	Black	•	•	0	0	•	•	0	0	•	•	0	0	•	•	0	
НМ	Mauritius blue	Mauritius blue	Mauritius blue	•	•	0	0	•	•	0	0	•	•	0	0	•	•	0	
HW	Dove grey	Dove grey	Dove grey	•	•	0	0	•	•	0	0	•	•	0	0	•	•	0	
HX	Carmine red	Carmine red	Carmine red	•	•	0	0	•	•	0	0	•	•	0	0	•	•	0	
	Part-leather upholstery/trim O	The same of the sa			_\	/4			\ \	/5			. \	/8			V	9	
TS	Lasky white	Ermine	Black	•	•	0	0	•	•	0	0	•	•	0	0	•	•	0	
TX	Mauritius blue	Mauritius blue	Mauritius blue	•	•	0	0	•	•	0	0	•	•	0	0	•		0	
-	D	Dove grey	Dove grey			0	0			0	0			0	0	•	•	0	
TT	Dove grey	Dove grey	Dove gicy	_	_			_	-				_		_	-	_	-	
TU	Carmine red	Carmine red	Carmine red	•	•	0	0	•	•	0	0	•	•	0	0	•	•	0	
				Ť	•	-		•	•	_	-	•	•		-	•	• V		
	Carmine red			Ť	) )	0		•	•	0	-	•	•	0	-	•	_		
TU	Carmine red  Leather equipment/trim O	Carmine red	Carmine red	Ť	•	0/4	0	0	•	O /5	0	•	•	0	0	•	_	9 0 0	
TU	Carmine red  Leather equipment/trim   Lasky white	Carmine red Ermine	Carmine red Black	•	•	0/4	0	•	•	0 /5	0	-	•	0/8	0	•	_	9	

The fascia is always black.


The symbols in the table indicate whether an exterior paintwork colour is standard (\*) or an optional extra (O). Upholstery marked (\*) ist standard.

# Body colours at a glance

Paprika red

V4

Alpine white



The colours and illustrations printed on this page are intended as a guide only, since the printing process does not guarantee faithful colour reproduction in full gloss and depth, or convey the luxurious texture of the upholstery.

Atoll blue

V5

V9

Dove grey

V8

Engine, transmission and electrical system	55 kW (75 bhp)	66 kW (90 bhp)
Engine type	4-cylinder spark ignition	4-cylinder spark ignition
Displacement, I (cm³)	1.6 (1595)	1.8 (1781)
Bore/stroke, mm (in)	81/77.4 (3.19/3.05)	81/86.4 (3.19/3.40)
Max. output, kW (bhp)	55 (75)	66 (90)
-at engine speed, min <sup>-1</sup>	5000	5200
Max. torque, Nm (lb.ft)	125 (92)	145 (107)
-at engine speed, min <sup>-1</sup>	2500	3300
Compression ratio	9.0:1	10.0:1
Mixture preparation	Two-stage carburettor	Two-stage carburettor
	with fully-automatic	with fully-automatic
	starting system	starting system
Transmission, standard	5-speed gearbox <sup>1)</sup>	
Transmission, optional at extra charge	Automatic	5-speed gearbox
Alternator, max. A/battery, A (Amp/h)		Automatic
Alternator, max. Arbattery, A (Amp/n)	65/175 (36)	65/220 (45)
Dimensions		
Length, mm (in)	3890 (153.1)	3890 (153.1)
Width, mm (in)	1640 (64.6)	1640 (64.6)
Height, mm (in)	1410 (55.5)	
Wheelbase, mm (in)		1395 (54.9)
Track, front/rear, mm (in)	2400 (94.5)	2400 (94.5)
	1404/1372 (55.3/54.0)	1404/1372 (55.3/54.0)
Turning circle, m (ft)	app. 10.3 (33.8)	app. 10.3 (33.8)
"Comfort" length, mm (in)	1800 (70.9)	1800 (70.9)
Front elbow room, mm (in)	1325 (52.2)	1325 (52.2)
Seating area, m² (ft²)	2.39 (25.7)	2.39 (25.7)
Luggage space, I (ft³)2)	280/617 (9.9/21.8)	280/617 (9.9/21.8)
Fuel tank capacity, I (Imp. gal)	app. 55 (12.1)	app. 55 (12.1)
Wheelsize	6J×14	6J×14
Tyre size	185/60 R 14 H	185/60 R 14 H
Weights		
Unladen weight, (lb) <sup>3)</sup>	960 (2116)	975 (2149)
Gross weight limit, kg (lb)	1350 (2976)	1350 (2976)
Axle load limits, front/rear, kg (lb)	775/630 (1709/1389)	775/630 (1709/1389)
Trailer load limits <sup>4)</sup>		
-braked, 12 % (1 in 8.3 gradient), kg (lb)	1000 (2205)	1200 (2646)
- braked, 10 % (1 in 10 gradient), kg (lb)	1200 (2646)	1200 (2646)
- unbraked, kg (lb)	440 (970)	500 (1102)
Top speed, km/h (mile/h)		
- with b-speed gearbox	154 (96)1)	164 (102)
-with automatic transmission	149 (93)	159 (99)
Acceleration		
from 0-80/0-100 km/h (0-50/0-62 mile/h),		
in seconds		
- with 5-speed gearbox	8.7/13.5	7.2/11.1
- with automatic transmission	10.3/15.7	8.9/13.5
Fuel consumption <sup>5)</sup> acc. to DIN 70030,		
in I/100 km (Imp. mile/gal)		
Fuelgrade	Regular (2-star),	Premium (4-star),
	unleaded or leaded	leaded
Min. octane number (research method)	91	98
with 5-speed gearbox	9.1	300
- at steady 90 km/h (56 mile/h)	5.8 (48.7)	6 2 (45 6)
- at steady 90 km/h (75 mile/h)		6.2 (45.6)
	8.4 (33.6)	9.0 (31.4)
urban driving cycle	8.7 (32.5)	8.9 (31.7)
with automatic transmission		
- at steady 90 km/h (56 mile/h)	7.1 (39.8)	6 0 (40 0)
- at steady 30 km/h (30 mile/h)		6.9 (40.9)
	8.9 (31.7)	9.6 (29.4)
- urban driving cycle	9.1 (31.0)	9.4 (30.1)

#### Brief description of technical features

### 82 kW (112 bhp)

4-cylinder spark ignition 1.8 (1781) 81/86.4 (3.19/3.40) 82 (112) 5800

153 (113) 3500 10.0:1

Mechanical fuel injection system

5-speed gearbox

55/220 (45)

3890 (153.1) 1640 (64.6) 1395 (54.9) 2400 (94.5) 1404/1372 (55.3/54.0) app. 10.3 (33.8) 1800 (70.9) 1325 (52.2) 2.39 (25.7)

280/617 (9.9/21.8) app. 55 (12.1) 6 J × 14 185/60 R 14 H

995 (2127) 1350 (2976) 775/630 (1709/1389)

1200 (2646) 1200 (2646) 460 (1014)

173 (107)

6.8/10.1

Premium (4-star), leaded 98

6.3 (44.8) 8.9 (31.7) 10.9 (25.9)

## Engine/electrical system

Inline engine mounted transversely at front. Crankshaft with five main bearings. Valve gear driven by toothed belt from overhead camshaft and bucket-type tappets with maintenance-free hydraulic valve clearance adjustment. Closed, pressurised liquid coolant circuit, with pump, radiator, coolant reservoir and electrically-driven, thermostat-controlled fan. Pressure lubrication system with oil pump and renewable filter element. Electronic ignition system and long-life spark plugs. All carburettor engines with thermostat-controlled intake air preheating and electric mixture preheating ("hedgehog" element and coolant-heated intake manifold). 66 kW engine: electronic fuel cutoff on the overrun. 82 kW engine: oil cooler. 12-Volt electrical system with alternator and minimum-maintenance battery.

#### Transmission

Front-wheel drive, through single dry plate clutch, all-synchromesh gearbox, and halfshafts with constant-velocity joints.

# Running gear/steering

Suspension: coil springs with telescopic dampers (all elements combined into suspension struts). Wheel location: at front, spring struts and triangulated lower wishbones (self-stabilising steering); at rear, linked trailing arms. No-maintenance rack-and-pinion steering gear with safety steering column.

#### **Brakes**

Diagonally-split dual brake circuits, with front discs and self-adjusting rear drums. Brake servo and pressure-dependent brake pressure regulator. Ventilated discs at front with 66 kW and 82 kW engines.

#### Body

Four-seater convertible with unitary-construction all-steel bodyshell including roll hoop and impactabsorbing zones at front and rear.

# Notes:

- <sup>1)</sup> Five-speed gearbox with extra-high 5th (economy) ratio. Top speed reached in 4th gear.
- Usual measuring method with 50 mm (2 in) diameter spheres; values shown with rear seat erect/ folded down.
- 3) Optional extras may increase the car's unladen weight, in which case the payload limit must be reduced accordingly.
- <sup>4)</sup> Engine output is lower at increasing altitudes. At 1000 m (3280 ft) above sea level, and for every additional 1000 m, deduct 10 % from the weight of the outfit (trailer load limit plus gross weight limit of towing vehicle).
- Measured with soft top closed. Depending on driving style, road and traffic conditions, environmental influences and vehicle condition, the fuel consumption values obtained in practice may differ from these values, which were obtained by the standard test method.

# Important note:

Technical progress has enabled us to reduce maintenance work considerably. Your car requires a V.A.G Inspection every 12 months, including Lubrication Service. Additional work is only needed every 30 000 km. An additional Lubrication Service is necessary every 15000 km (10 000 miles) if annual distance covered is considerably more than 15 000 km.

# The Golf Convertible Quartett's equipment features at a glance

#### Exterior equipment

- Laminated safety glass windscreen
- Remotely controlled door mirror on driver's and front passenger's side, mirror housing in body colour
- Green heat-insulating glass
- All-round spoilers in body colour, consisting of front spoiler, flared wheel arches, sill extensions and rear-end panel
- Rapid-folding soft top of fivelayer material for insulation against heat and cold
- Rubbing strip around swage line, with black trims
- Outside door handles with black trim
- Black window capping trims
- Black rear licence plate area
- Wiper blade on driver's side with air deflector blade (only with 82 kW engine)

#### Interior equipment

- Padded fascia
- 4-spoke sports steering wheel
- Variable height sports front seats
- Reclining seat mechanism for driver and front passenger
- Adjustable head restraints at front, with cloth upholstery
- Contoured rear seat
- Rear seat back can be folded down for larger luggage compartment
- Three-point automatic front seat belts
- Anti-glare safety interior mirror
- Lockable glove box on front passenger's side
- Pivoting sun visors, can be swung sideways, with makeup mirror on front passenger's side

- Padded knee rail under fascia
- Centre console
- Door storage travs
- Ashtray at front, with light
- Armrests on doors, with integral door pull
- Door panel trims with cloth insert and bright trim strip
- Tufted velour footwell lining, with reinforced heel area on driver's side
- Luggage compartment cover, with fleece velour carpeting
- Luggage compartment base lined
- Black protective strip on door sills

# Electrical/operating equipment

- Roll protection hoop
- Gas-filled springs for easy operation of luggage compartment lid
- Twin-headlight grille with halogen main headlights and longdistance driving lights
- Two reversing lights
- Heated rear window
- Two-speed electric windscreen washer system with flick-wipe setting, intermittent setting and automatic washwipe
- Lockable fuel filler
- Combined heating and ventilation system with 3-speed blower, front footwell outlets and two adjustable fascia outlets, defroster outlets for windscreen and side windows

- Instrument cluster with speedometer, distance recorder, trip recorder, revolution counter, digital clock (not with 82 kW engine), fuel gauge, coolant temperature gauge with additonal warning light, telltale lights for battery charge, engine oil pressure, turn indicators, high beams, handbrake on and brake fluid level
- Multifunction display with inputs for actual time, journey time, journey distance, average speed, average fule consumption, engine-oil and outside temperatures (only with 82 kW engine)
- Parking light circuit
- Variable-intensity instrument lighting
- Illuminated switch and heater/ ventilation control symbols
- Cigarette lighter with illuminated symbol
  Interior light with courtesy
- Interior light with courtesy switches on driver's and front passenger's door
- Separate luggage compartment light
- Twin-tone horn
- Long-life underseal including wheel arches
- Long-life body cavity protection treatment
- Corrosion-preventive front wheel arch linings

# Suspension, wheels, tyres

- Front anti-roll bar (with 66 kW and 82 kW engines)
- Rear anti-roll bar (with 82 kW engine only)

- 6 J × 14 light-alloy wheels, in body colour
- 185/60 R 14 H steel-braced radial ply tyres
- Compact, temporary spare wheel

# Interesting options at extra charge

- Automatic transmission
- Power steering
- Headlight cleaning system
- Air conditioning
- Rear seat belts
- Halogen fog lights
- Rear fog light
- Complete radio systems (mono, stereo, cassette player)
- Leatherette seat upholstery
- Interior trim partly in real leather (seat centre sections, sides and head restraints)
- Real leather interior trim (seats, door and side panels, steering wheel rim and gear lever knob)
- Tonneau cover
- Heated front seats
- Electro-hydraulically operated soft top
- Electric window lifts

Certain restrictions apply to optional extras. Your V.A.G dealer will gladly supply further details of possible combinations and provide advice on how to personalise the model of your choice.



Volkswagen cars are sold in numerous countries where a variety of traffic and registration regulations apply. It may therefore happen that the Volkswagen cars, their equipment or the service provided in a particular country differ from the details given in this catalogue. Your V.A.G dealer will be pleased to give you details of the Volkswagen programme, technical data and services available in your country.

Your V. A.G dealer: